

 Intro to Database Systems (15-445/645)

# 13 Query Execution

## *Part 2*

Carnegie  
Mellon  
University

FALL  
2022

Andy  
Pavlo

# ADMINISTRIVIA

---

**Mid-Term Exam** is **Thursday Oct 13<sup>th</sup>**

→ During regular class time @ 11:50-1:10pm

**Project #2** is out now:

→ Checkpoint #1: **Tuesday Oct 11<sup>th</sup> @ 11:59pm**

→ Checkpoint #2: **Wednesday Oct 26<sup>th</sup> @ 11:59pm**


# QUERY EXECUTION

We discussed in the last class how to compose operators together into a plan to execute an arbitrary query.

We assumed that the queries execute with a single worker (e.g., a thread).

We will now discuss how to execute queries using multiple workers.

```
SELECT R.id, S.cdate
FROM R JOIN S
ON R.id = S.id
WHERE S.value > 100
```



# WHY CARE ABOUT PARALLEL EXECUTION?

---

Increased performance for potentially the same hardware resources.

- Higher Throughput
- Lower Latency

Increased responsiveness of the system.

Potentially lower *total cost of ownership* (TCO)

- Fewer machines means less parts / physical footprint / energy consumption.

# PARALLEL VS. DISTRIBUTED

---

Database is spread out across multiple resources to improve different aspects of the DBMS.

Appears as a single logical database instance to the application, regardless of physical organization.

→ SQL query for a single-resource DBMS should generate same result on a parallel or distributed DBMS.

# PARALLEL VS. DISTRIBUTED

---

## Parallel DBMSs

- Resources are physically close to each other.
- Resources communicate over high-speed interconnect.
- Communication is assumed to be cheap and reliable.

## Distributed DBMSs

- Resources can be far from each other.
- Resources communicate using slow(er) interconnect.
- Communication cost and problems cannot be ignored.

# TODAY'S AGENDA

---

Process Models

Execution Parallelism

I/O Parallelism

# PROCESS MODEL

---

A DBMS's process model defines how the system is architected to support concurrent requests from a multi-user application.

A worker is the DBMS component that is responsible for executing tasks on behalf of the client and returning the results.



# PROCESS MODEL

---

**Approach #1: Process per DBMS Worker**

**Approach #2: Thread per DBMS Worker**

**Approach #3: Embedded DBMS**

# PROCESS PER WORKER


Each worker is a separate OS process.

- Relies on OS scheduler.
- Use shared-memory for global data structures.
- A process crash does not take down entire system.
- Examples: IBM DB2, Postgres, Oracle

IBM DB2

ORACLE

PostgreSQL




# THREAD PER WORKER

Single process with multiple worker threads.

- DBMS (mostly) manages its own scheduling.
- May or may not use a dispatcher thread.
- Thread crash (may) kill the entire system.
- Examples: **MSSQL** MySQL, DB2, Oracle (2014)

*Almost every DBMS created in the last 20 years!*



# SCHEDULING

---

For each query plan, the DBMS decides where, when, and how to execute it.

- How many tasks should it use?
- How many CPU cores should it use?
- What CPU core should the tasks execute on?
- Where should a task store its output?

The DBMS *always* knows more than the OS.

# SQL SERVER - SQLOS

---

**SQLOS** is a user-level OS layer that runs inside of the DBMS and manages provisioned hardware resources.

- Determines which tasks are scheduled onto which threads.
- Also manages I/O scheduling and higher-level concepts like logical database locks.

Non-preemptive thread scheduling through instrumented DBMS code.

SQL

SQLOS is a user interface for the DBMS and its resources.

→ Determines the number of threads.

→ Also manages the database like logical objects.

Non-preemptive scheduling instrumented



Join Extra Crunch

Login

Search 🔍

Startups

Videos

Audio

Newsletters

Extra Crunch

Advertise

Events

—

More

Transportation

Apple

Tesla

Security

## How Microsoft brought SQL Server to Linux

Frederic Lardinois @frederic / 12:00 pm EDT • July 17, 2017

Comment

Back in 2016, when **Microsoft** announced that SQL Server would soon run on Linux, the news came as a major **surprise** to users and pundits alike. Over the course of the last year, Microsoft's support for Linux (and open source in general), has come into clearer focus and the company's mission now seems to be all about bringing its tools to wherever its users are.

The company today launched the first release candidate of **SQL Server 2017**, which will be the first version to run on Windows, Linux and in Docker containers. The **Docker container** alone has already seen more than 1 million pulls, so there can be no doubt that there is a lot of interest in this new version. And while there are plenty of new features and speed improvements in this new version, the fact that SQL Server 2017 supports Linux remains one of the most interesting aspects of this release.

Ahead of today's announcement, I talked to **Rohan Kumar**, the general manager of Microsoft's Database Systems group, to get a bit more info about the history of this project and how his team managed to bring an extremely complex piece of software like SQL Server to Linux. Kumar, who has been at Microsoft for more than 18 years, noted that his team noticed many enterprises were starting to use SQL Server for their mission-critical workloads. But at the same time, they were also working in mixed environments that included both Windows Server and Linux. For many of these businesses, not being able to run their database of choice on Linux became a friction point.

"Talking to enterprises, it became clear that doing this was necessary," Kumar said. "We were forcing customers to use Windows as their platform of choice." In another incarnation of Microsoft, that probably would've been seen as something positive, but the company's strategy today is quite different.

# SQL SERVER - SQLOS

**SQLOS** quantum is 4 ms but the scheduler cannot enforce that.

DBMS developers must add explicit yield calls in various locations in the source code.

```
SELECT * FROM R WHERE R.val = ?
```


```
last = now()
for tuple in R:
    if now() - last > 4ms:
        → yield
        last = now()
    if eval(predicate, tuple, params):
        emit(tuple)
```

# EMBEDDED DBMS

DBMS runs inside of the same address space as the application. Application is (mostly) responsible for threads and scheduling.

The application may support outside connections.

→ Examples: BerkeleyDB, SQLite, RocksDB, LevelDB





# PROCESS MODELS

---

Advantages of a multi-threaded architecture:

- Less overhead per context switch.
- Do not have to manage shared memory.

The thread per worker model does **not** mean that the DBMS supports intra-query parallelism.

Andy is not aware of any new DBMS from last 15 years that doesn't use native OS threads unless they are Redis or Postgres forks.

# INTER- VS. INTRA-QUERY PARALLELISM

---

**Inter-Query:** Execute multiple disparate queries simultaneously.

→ Increases throughput & reduces latency.

**Intra-Query:** Execute the operations of a single query in parallel.

→ Decreases latency for long-running queries, especially for OLAP queries.

# INTER-QUERY PARALLELISM

---

Improve overall performance by allowing multiple queries to execute simultaneously.

If queries are read-only, then this requires almost no explicit coordination between queries.

→ Buffer pool can handle most of the sharing if necessary

Lecture #15

If multiple queries are updating the database at the same time, then this is hard to do correctly...

# INTRA-QUERY PARALLELISM

---


Improve the performance of a single query by executing its operators in parallel.

Think of organization of operators in terms of a *producer/consumer* paradigm.

There are parallel versions of every operator.  
→ Can either have multiple threads access centralized data structures or use partitioning to divide work up.

# PARALLEL GRACE HASH JOIN

Use a separate worker to perform the join for each level of buckets for **R** and **S** after partitioning.



# INTRA-QUERY PARALLELISM

---

**Approach #1: Intra-Operator (Horizontal)**

**Approach #2: Inter-Operator (Vertical)**

**Approach #3: Bushy**

# INTRA-OPERATOR PARALLELISM

---

## Approach #1: Intra-Operator (Horizontal)



→ Decompose operators into independent **fragments** that perform the same function on different subsets of data.

The DBMS inserts an **exchange** operator into the query plan to coalesce/split results from multiple children/parent operators.

→ Postgres calls this "gather"

# INTRA-OPERATOR PARALLELISM

```
SELECT * FROM A
WHERE A.val > 99
```






# EXCHANGE OPERATOR


## Exchange Type #1 – Gather

→ Combine the results from multiple workers into a single output stream.




## Exchange Type #2 – Distribute

→ Split a single input stream into multiple output streams.



## Exchange Type #3 – Repartition



→ Shuffle multiple input streams across multiple output streams.



# INTRA-OPERATOR PARALLELISM

```

SELECT A.id, B.value
FROM A JOIN B
ON A.id = B.id
WHERE A.value < 99
AND B.value > 100
  
```



# INTER-OPERATOR PARALLELISM

## Approach #2: Inter-Operator (Vertical)



- Operations are overlapped in order to pipeline data from one stage to the next without materialization.
- Workers execute operators from different segments of a query plan at the same time.
- More common in streaming systems (continuous queries)

Also called pipeline parallelism.



# INTER-OPERATOR PARALLELISM

```
SELECT A.id, B.value  
FROM A JOIN B  
ON A.id = B.id  
WHERE A.value < 99  
AND B.value > 100
```



for  $r \in$  incoming:  
**emit**( $\pi r$ )


for  $r_1 \in$  outer:  
for  $r_2 \in$  inner:  
**emit**( $r_1 \bowtie r_2$ )

# BUSHY PARALLELISM

## Approach #3: Bushy Parallelism

- Hybrid of intra- and inter-operator parallelism where workers execute multiple operators from different segments of a query plan at the same time.
- Still need exchange operators to combine intermediate results from segments.

```
SELECT *
FROM A JOIN B JOIN C JOIN D
```



# OBSERVATION

---

Using additional processes/threads to execute queries in parallel won't help if the disk is always the main bottleneck.

It can sometimes make the DBMS's performance worse if worker is accessing different segments of the disk at the same time.

# I/O PARALLELISM

---

Split the DBMS across multiple storage devices to improve disk bandwidth latency.

Many different options that have trade-offs:

- Multiple Disks per Database
- One Database per Disk
- One Relation per Disk
- Split Relation across Multiple Disks


Some DBMSs support this natively. Others require admin to configure outside of DBMS.

# MULTI-DISK PARALLELISM

Configure OS/hardware to store the DBMS's files across multiple storage devices.

- Storage Appliances
- RAID Configuration

This is transparent to the DBMS.



*RAID 0 (Striping)*




# MULTI-DISK PARALLELISM

Configure OS/hardware to store the DBMS's files across multiple storage devices.

- Storage Appliances
- RAID Configuration

This is transparent to the DBMS.



*RAID 1 (Mirroring)*

# DATABASE PARTITIONING

---

Some DBMSs allow you to specify the disk location of each individual database.

→ The buffer pool manager maps a page to a disk location.

This is also easy to do at the filesystem level if the DBMS stores each database in a separate directory.

→ The DBMS recovery log file might still be shared if transactions can update multiple databases.

# PARTITIONING

---

Split single logical table into disjoint physical segments that are stored/managed separately.

Partitioning should (ideally) be transparent to the application.

→ The application should only access logical tables and not have to worry about how things are physically stored.

*We will cover this further when we talk about distributed databases after the mid-term.*

# CONCLUSION

---

Parallel execution is important, which is why (almost) every major DBMS supports it.

However, it is hard to get right.

- Coordination Overhead
- Scheduling
- Concurrency Issues
- Resource Contention

# NEXT CLASS

---

**Who:** You

**What:** Midterm Exam

**Where:** Tepper 1403

**When:** Thursday Oct 13<sup>th</sup> @ 11:50am-1:10pm

**Why:** <https://youtu.be/CLe-TtmNuug>

*Email Andy if you need special accommodations.*

<https://15445.courses.cs.cmu.edu/fall2022/midterm-guide.html>